Index of Authors

ADAMS, S. N. Some effects of lime, nitrogen and soluble and insoluble phosphate on the yield and mineral composition of established grassland, 219

AGGARWAL, G. C., *see* CHAUDHARY, M. R.

ARMSTRONG, D. G., *see* ROOKE, J. A.

ASHBELL, G., THEUNE, H. H. and SKLAN, D. Changes in amino acid compounds of wheat plants during ensiling and aerobic exposure: the influence of propionic acid and urea phosphate–calcium propionate, 667

BADHORIA, B. S., *see* SINGH, B.

BARRY, T. N., MANLEY, T. R. and DUNCAN, S. J. Quantitative digestion by sheep of carbohydrates, nitrogen and S-methyl-L-cysteine sulphoxide in diets of fresh kale (*Brassica oleracea*), 479

BARRY, T. N., MANLEY, T. R., MILLAR, K. R. and SMITH, R. H. Relative feeding value of kale (*Brassica oleracea*) containing normal and low concentrations of S-methyl-L-cysteine sulphoxide (SMCO), 635

BEN-GHEDALIA, D. and MIRON, J. Digestibility of wheat straw treated with sulphur dioxide, 517

BENJAMIN, L. R. Relative importance of some sources of root-weight variation in a carrot crop, 69

BENNETT, I. L., *see* FINCH, V. A.

BHARGAVA, S. C., *see* BHATIA, V. S.

BHATIA, V. S., BHARGAVA, S. C. and SINHA, S. K. Effect of irrigation on reproductive efficiency of bunch and spreading types of groundnut (*Arachis hypogaea* L.), 505

BILASPURI, G. S. and GURAYA, S. S. Histochemical localization of enzymes of various metabolic pathways in the testes of buffaloes, goats and rams, 269

BISWAS, C. R., *see* GANESHAMURTHY, A. N.

BLACK, W. J. M., *see* SPEEDY, A. W.

BLACKWELL, R. D., *see* INNES, P.

BLANCH, P., *see* MCGOWAN, M.

BRAGG, P. L., *see* ELLIS, F. B., WEIR, A. H.

BRAITHWAITE, G. D. Changes in phosphorus metabolism of sheep in response to the increased demands for P associated with an intravenous infusion of calcium, 135

BRAITHWAITE, G. D. Some observations on phosphorus homoeostastis and requirements of sheep, 295

BROWN, N. J. and NORTH, P. F. Tillage under controlled conditions: its effect on emergence and yield of spring barley, 181

BUNTING, L. D., RICHARDSON, C. R. and TOCK, R. W. Digestibility of ozone-treated sorghum stover by ruminants, 747

BURROW, H. M., *see* FRISCH, J. E.

BUTLER, L. G., *see* MAXWELL, W. M. C.

BUTLER-HOGG, B. W. Growth patterns in sheep: wool growth during weight loss and subsequent compensatory growth, 105

CALCROFT, M., *see* RUNDLE, H. L.

CANNELL, R. Q., GOSS, M. J., HARRIS, G. L., JARVIS, M. G., DOUGLAS, J. T., HOWSE, K. R. and LE GRICE, S. Study of mole drainage with simplified cultivation for autumn-sown crops on a clay soil. 1. Background, experiment and site details, drainage systems, measurement of drainflow and summary of results, 1978–80, 539

CANNELL, R. Q., *see also* ELLIS, F. B.

CHAPMAN, J. F., DANIELS, R. W. and SCARISBRICK, D. H. Field studies on ^{14}C assimilate fixation and movement in oil-seed rape (*B. napus*), 23

CHAUDHARY, M. R. and AGGARWAL, G. C. Simple technique to evaluate the effect of mechanical stress on root growth, 79

CHAUHAN, C. P. S., *see* CHAUHAN, R. P. S.

CHAUHAN, R. P. S., CHAUHAN, C. P. S. and CHAUHAN, S. K. Effect of boronated saline irrigation water on linseed, 237

CHAUHAN, S. K., *see* CHAUHAN, R. P. S.

CHEEMA, S. S., *see* MAHEY, R. K.

CHESTNUTT, D. M. B. Effect of weight change on the performance of autumn-calving suckler cows, 353

CHRISTIAN, D. G., *see* ELLIS, F. B.

CISZUK, P., *see* LINDBERG, J. E.

CLUTTERBUCK, B. J. and HODGSON, D. R. Direct drilling and shallow cultivation compared with ploughing for spring barley on a clay loam in northern England, 127

CRISP, P. Factors causing small curds in cauliflower crops, 405

CROWTHER, T. C., *see* DOWKER, B. D.

CUMMING, G., *see* LENG, R. A.

DANIELS, R. W., *see* CHAPMAN, J. F.

DARROCH, A. D., *see* LOUDON, A. S. I.

DE ANDRADE, R. P., *see* THOMAS, D.

DHINGRA, K. K., *see* SEKHON, H. S.

DIAB, S. A., *see* EL ATTAL, Z. M.

DOBAN, A. F., *see* MOUSTAFA, O. K.

DOUGLAS, J. T., *see* CANNELL, R. Q.

DOWDELL, R. J., *see* HARRIS, G. L.

DOWKER, B. D., HOROBIN, J. F., CROWTHER, T. C. and FENNELL, J. F. M. Breeding of improved open-pollinated populations of spring-sown onions, 615

DROUSHIOTIS, D. N. Effect of variety and harvesting stage on forage production of barley in a low rainfall environment, 289

DUNCAN, S. J., *see* BARRY, T. N.

EASSON, D. L. Timing of nitrogen application for spring barley, 673

EBERSOHN, J. P. and MOIR, K. W. Effect of pasture growth on live-weight gain of grazing beef cattle, 265

ECONOMIDES, S. Calcium metabolism in dairy sheep, 601

EDWARDS, S. R., *see* LENG, R. A.

EL ATTAL, Z. M., MOUSTAFA, O. K. and DIAB, S. A.

Influence of foliar fertilizers on the toxicity and tolerance to some insecticides in the cotton leafworm, 111
EL ATTAL, Z. M., *see also* MOUSTAFA, O. K.
ELLIS, F. B., CHRISTIAN, D. G., BRAGG, P. L., HENDERSON, F. K. G., PREW, R. D. and CANNELL, R. Q. Study of mole drainage with simplified cultivation for autumn-sown crops on a clay soil. 3. Agronomy, root and shoot growth of winter wheat, 1978–80, 583
ELLIS, R. P. and RUSSELL, G. Plant development and grain yield in spring and winter barley, 85
EVANS, A. M., *see* WOOLLEY, J. N.

FELLOWS, J. R., *see* WURR, D. C. E.
FENNELL, J. F. M., *see* DOWKER, B. D.
FETUGA, B. L., *see* OLOGHOBO, A. D.
FINCH, V. A., BENNETT, I. L. and HOLMES, C. R. Coat colour in cattle: effect on thermal balance, behaviour and growth, and relationship with coat type, 141
FINCH-SAVAGE, W. E. Effects of fluid drilling germinating onion seeds on seedling emergence and subsequent plant growth, 461
FINNEY, M. E., *see* JENKYN, J. F.
FITZSIMONS, J., *see* SPEEDY, A. W.
FRISCH, J. E., O'NEILL, C. J. and BURROW, H. M. Incidence and effect of poisoning with *Lantana camara* in different cattle breeds, 191

GANESHAMURTHY, A. N. and BISWAS, C. R. Movement of potassium in an Ustochrept soil profile in a long-term fertilizer experiment, 393
GANESHA RAO, R. S., *see* PRAKASA RAO, E. V. S.
GERRITSE, R. G. and VRIESEMA, R. Phosphate distribution in animal waste slurries, 159
GLASBEY, C. A., *see* HUNTER, E. A.
GLEESON, A. C., *see* SINCLAIR, D. F.
GORDON, F. J. Effect of level of concentrate supplementation given with grass silage during the winter on the total lactation performance of autumn-calving dairy cows, 163
GOSS, M. J., *see* CANNELL, R. Q., HARRIS, G. L.
GRAHAM, C. A., *see* LENG, R. A.
GREGORY, P. J., *see* MCGOWAN, M.
GREIFE, H. A., *see* ROOKE, J. A.
GURAYA, S. S., *see* BILASPURI, G. S.

HAILE, A. Effect of stage of maturity of forage oats on crude protein content and dry-matter yield, 251
HAILE, A. Study of the effects of oak defoliation on understory plants, 247
HALL, I. R. Effect of inoculant endomycorrhizal fungi on white clover growth in soil cores, 719
HALL, I. R. Field trials assessing the effect of inoculating agricultural soils with endomycorrhizal fungi, 725
HARRIS, G. L., GOSS, M. J., DOWDELL, R. J., HOWSE, K. R. and MORGAN, P. Study of mole drainage with simplified cultivation for autumn-sown crops on a clay soil. 2. Soil water regimes, water balances and nutrient loss in drain water, 1978–80, 561
HARRIS, G. L., *see also* CANNELL, R. Q.
HAYCOCK, D., *see* MCGOWAN, M.
HAYCOCK, R. Dry-matter distribution and seasonal yield changes in five contrasting genotypes of white clover, 333
HAYCOCK, R., *see also* OLLERENSHAW, J. H.
HELLMERS, H., *see* PAEZ, A.
HENDERSON, F. K. G., *see* ELLIS, F. B.
HEYS, V. and HILL, R. Selenium concentration of cereal grain and conserved and fresh herbage from farms in England and Wales, 367
HILL, R., *see* HEYS, V.
HODGSON, D. R., *see* CLUTTERBUCK, B. J.
HOLMES, C. R., *see* FINCH, V. A.
HOLT, C., *see* RUNDLE, H. L.
HOROBIN, J. F., *see* DOWKER, B. D.
HOWSE, K. R., *see* CANNELL, R. Q., HARRIS, G. L.
HUGHES, D. M., *see* MYTTON, L. R.
HUNTER, E. A., GLASBEY, C. A. and NAYLOR, R. E. L. Analysis of data from germination tests, 207
HUTCHINGS, N. J. Availability of nitrogen in liquid sewage sludges applied to grassland, 703

ILORI, J. O. Effect of different proportions of protein and antibiotic in the diet on reproductive performance of indigenous pigs in Nigeria, 227
INNES, P., BLACKWELL, R. D. and QUARRIE, S. A. Some effects of genetic variation in drought-induced abscisic acid accumulation on the yield and water use of spring wheat, 341

JARVIS, M. G., *see* CANNELL, R. Q.
JENKYN, J. F. and FINNEY, M. E. Experiments to examine the significance of ammonia evolution from barley seedlings infected with the powdery mildew fungus, *Erysiphe graminis* f.sp. *hordei*, 679
JOHN, A. Effects of feeding frequency and level of feed intake on chemical composition of rumen bacteria, 45
JOHN, A. and ULYATT, M. J. Measurement of protozoa, using phosphatidyl choline, and of bacteria, using nucleic acids, in the duodenal digesta of sheep fed chaffed lucerne hay (*Medicago sativa* L.) diets, 33
JOHN, A., *see also* ULYATT, M. J.
JOHNSON, E. R. and VIDYADARAN, M. K. Prediction of beef carcass composition from organs and tissues of the non-carcass parts, 511

KAIRON, M. S., *see* SINGH, V. P.
KAPUR, M. L., *see* SHARMA, K. N.
KASPERSSON, A., *see* LINDBERG, J. E.
KAUL, J. N., *see* SEKHON, H. S.

LAWRENCE, P. R., *see* RICHARDS, J. I.
LE GRICE, S., *see* CANNELL, R. Q.
LENG, R. A., NOLAN, J. V., CUMMINGS, G., EDWARDS, S. R. and GRAHAM, C. A. Effects of monensin on the pool size and turnover rate of protozoa in the rumen of sheep, 609
LINDBERG, J. E., KASPERSSON, A. and CISZUK, P. Studies on pH, number of protozoa and microbial ATP concentrations in rumen-incubated nylon bags with different pore sizes, 501
LOUDON, A. S. I., DARROCH, A. D. and MILNE, J. A. Lactation performance of red deer on hill and improved species pastures, 149

LOWE, H. J. B. Assessment of populations of the aphid *Sitobion avenae* in field trials, 487

MCALLAN, A. B., *see* PHIPPS, R. H.
MCARDLE, R. N. Relationship of number and position of seeds to fruit size and curvature in *Capsicum annuum* L., 509
MCGOWAN, M., BLANCH, P., GREGORY, P. J. and HAYCOCK, D. Water relations of winter wheat. 5. The root system and osmotic adjustment in relation to crop evaporation, 415
MAHEY, R. K. and CHEEMA, S. S. Evaluating methods of nitrogen application for efficiency of water use and yield of rainfed barley, 81
MALIK, H. S., *see* PAL, U. R.
MANLEY, T. R., *see* BARRY, T. N.
MAXWELL, W. M. C., BUTLER, L. G. and WILSON, H. R. Intra-uterine insemination of ewes with frozen semen, 233
MILLAR, K. R., *see* BARRY, T. N.
MILNE, J. A., *see* LOUDON, A. S. I.
MIRON, J., *see* BEN-GHEDALIA, D.
MOHAN, R., *see* YADAV, R. L.
MOIR, K. W., *see* EBERSOHN, J. P.
MONRO, J., *see* ULYATT, M. J.
MORGAN, P., *see* HARRIS, G. L.
MOUSTAFA, O. K., EL ATTAL, Z. M. and DOBAN, A. F. Role of foliar fertilizers in tolerance of the cotton leafworm to certain insecticides, 115
MOUSTAFA, O. K., *see also* EL ATTAL, Z. M.
MURARI, K., *see* PAL, U. R.
MYTTON, L. R. and HUGHES, D. M. Inoculation of white clover with different strains of *Rhizobium trifolii* on a mineral hill soil, 455

NAYLOR, R. E. L., *see* HUNTER, E. A.
NOLAN, J. V., *see* LENG, R. A.
NORTH, P. F., *see* BROWN, N. J.

OLLERENSHAW, J. H. and HAYCOCK, R. Variation in the low temperature growth and frost tolerance of natural genotypes of *Trifolium repens* L. from Britain and Norway, 11
OLOGHOBO, A. D. and FETUGA, B. L. Haemagglutinin extracts from raw, sprouting and differently processed limabeans, 241
O'NEILL, C. J., *see* FRISCH, J. E.

PAEZ, A., HELLMERS, H. and STRAIN, B. R. Carbon dioxide enrichment and water stress interaction on growth of two tomato cultivars, 687
PAL, U. R., MURARI, K. and MALIK, H. S. Yield response of sorghum cultivars to inorganic nitrogen fertilizer, 7
PASSAM, H. C., *see* WICKHAM, L. D.
PATTERSON, H. D. and WEATHERUP, S. T. C. Statistical criteria for distinctness between varieties of herbage crops, 59
PHILLIPS, M. S. and POWELL, W. Effect of natural selection on composite cross populations of oats (*Avena sativa*) grown at contrasting sites in Scotland, 469
PHIPPS, R. H., MCALLAN, A. B. and WELLER, R. F. Development of plant components in isogenic sterile forage maize and their effects on carbohydrate composition, nutritive value, *in vivo* digestibility values and animal performance with fresh and ensiled crops, 443
PINK, D. A. C., *see* WALKEY, D. G. A.
PORTER, J. R. Model of canopy development in winter wheat, 383
PORTER, J. R., *see also* WEIR, A. H.
POWELL, W., *see* PHILLIPS, M. S.
PRAKASA RAO, E. V. S., SINGH, M., GANESHA RAO, R. S. and RAJESWARA RAO, B. R. Intercropping studies in geranium (*Pelargonium graveolens* L. Her. *ex* Ait), 499
PRASAD, J. and RAM, H. Varietal response to rhizobial strains for nodule character, chlorophyll and protein content in green gram (*Vigna radiata*), 245
PRASAD, V., *see* RAI, R.
PREW, R. D., *see* ELLIS, F. B.

QUARRIE, S. A., *see* INNES, P.

RAI, R. and PRASAD, V. Studies on growth and symbiotic nitrogen fixation of *Rhizobium* of *Vigna radiata* under stress conditions, 399
RAI, R., PRASAD, V. and SHUKLA, I. C. Interaction between finger millet (*Eleusine coracana*) genotypes and drug-resistant mutants of *Azospirillum brasilense* in calcareous soil, 521
RAJESWARA RAO, B. R., *see* PRAKASA RAO, E. V. S.
RAM, H., *see* PRASAD, J.
RANA, D. S., *see* SHARMA, K. N.
RAYNER, J. H., *see* WEIR, A. H.
REID, C. S. W., *see* ULYATT, M. J.
RICHARDS, J. I. and LAWRENCE, P. R. Estimation of energy expenditure from heart rate measurements in working oxen and buffalo, 711
RICHARDSON, C. R., *see* BUNTING, L. D.
ROBINSON, D. L. Study of sequential variety selection systems, 119
ROOKE, J. A., GREIFE, H. A. and ARMSTRONG, D. G. Effect of *in sacco* rumen incubation of a grass silage upon the total and D-amino acid composition of the residual silage dry matter, 695
ROWELL, J. G., *see* WALTERS, D. E.
RUNDLE, H. L., CALCROFT, M. and HOLT, C. Assessment of accumulation of Cd, Cr, Cu, Ni and Zn in the tissues of British Friesian steers fed on the products of land which has received heavy applications of sewage sludge, 1
RUSSELL, G., *see* ELLIS, R. P.

SAHOTA, T. S., *see* SHARMA, R. C.
SAKAL, R., SINGH, A. P., SINGH, B. P. and SINHA, R. B. Evaluation of some chemical extractants for predicting response of wheat grown in pots to copper in Sub-Himalayan soils, 659
SCARISBRICK, D. H., *see* CHAPMAN, J. F.
SEKHON, H. S., KAUL, J. N. and DHINGRA, K. K. Effect of *Rhizobium* inoculation, mulch and nitrogen and phosphorus fertilizers on soya bean (*Glycine max* (L.) Merrill), 475
SHARMA, A. K., *see also* SHARMA, R. C.
SHARMA, K. N., SINGH, B., RANA, D. S., KAPUR, M. L. and SODHI, J. S. Changes in soil fertility status as

influenced by continuous cropping and fertilizer application, 215
SHARMA, R. C., SAHOTA, T. S., SHARMA, U. C. and SHARMA, A. K. Phosphorus economy in potato cultivation by soaking mother seed tubers in a solution of urea and phosphate, 307
SHARMA, U. C., *see* SHARMA, R. C.
SHUKLA, I. C., *see* RAI, R.
SINCLAIR, D. F. and GLEESON, A. C. On the analysis of replacement series diallel experiments, 531
SINGH, A. P., *see* SAKAL, R.
SINGH, B. and BADHORIA, B. S. Response of green gram to potassium and zinc application, 253
SINGH, B., *see also* SHARMA, K. N.
SINGH, B. P., *see* SAKAL, R.
SINGH, M., *see* PRAKASA RAO, E. V. S., SINGH, V. P.
SINGH, R., *see* YADAV, R. L.
SINGH, V. P., SINGH, M. and KAIRON, M. S. Physiological maturity in *Aestivum* wheat: visual determination, 285
SINHA, R. B., *see* SAKAL, R.
SINHA, S. K., *see* BHATIA, V. S.
SKLAN, D., *see* ASHBELL, G.
SMITH, M. W. Effect of postnatal development and weaning upon the capacity of pig intestinal villi to transport alanine, 625
SMITH, R. H., *see* BARRY, T. N.
SODHI, J. S., *see* SHARMA, K. N.
SPEEDY, A. W., BLACK, W. J. M. and FITZSIMONS, J. Effects of timing of management actions on the performance of a grassland sheep flock, 275
STRAIN, B. R., *see* PAEZ, A.

TALBOT, M. Yield variability of crop varieties in the U.K., 315
THEUNE, H. H., *see* ASHBELL, G.
THOMAS, D. and DE ANDRADE, R. P. Persistence of tropical grass–legume associations under grazing in Brazil, 257
TOCK, R. W., *see* BUNTING, L. D.

ULYATT, M. J., WAGHORN, G. C., JOHN, A., REID, C. S. W. and MONRO, J. Effect of intake and feeding frequency of feeding behaviour and quantitative aspects of digestion in sheep fed chaffed lucerne hay, 545
ULYATT, M. J., *see also* JOHN, A.

VERMA, R. K., *see* YADAV, R. L.
VIDYADARAN, M. K., *see* JOHNSON, E. R.
VRIESEMA, R., *see* GERRITSE, R. G.

WAGHORN, G. C., *see* ULYATT, M. J.
WALKEY, D. G. A. and PINK, D. A. C. Resistance in vegetable marrow and other *Cucurbita* spp. to two British strains of cucumber mosaic virus, 197
WALTERS, D. E. and ROWELL, J. G. Missing value technique for the analysis of data with repeated measurements on each experimental unit, 595
WEATHERUP, S. T. C., *see* PATTERSON, H. D.
WEIR, A. H., BRAGG, P. L., PORTER, J. R. and RAYNER, J. H. Winter wheat crop simulation model without water or nutrient limitations, 371
WELLER, R. F., *see* PHIPPS, R. H.
WICKHAM, L. D., PASSAM, H. C. and WILSON, L. A. Dormancy responses to post-harvest application of growth regulators in *Dioscorea* species. 1. Responses of bulbils, tubers and tuber pieces of three *Dioscorea* species, 427
WICKHAM, L. D., PASSAM, H. C. and WILSON, L. A. Dormancy responses to post-harvest application of growth regulators in *Dioscorea* species. 2. Dormancy responses in ware tubers of *D. alata* and *D. esculenta*, 433
WICKHAM, L. D., PASSAM, H. C. and WILSON, L.A. Tuber development, storage and germination in yams (*Dioscorea* spp.) in response to pre-harvest application of plant growth regulators, 437
WILKIE, A. C., *see* WOOLFORD, M. K.
WILSON, H. R., *see* MAXWELL, W. M. C.
WILSON, L. A., *see* WICKHAM, L. D.
WOOLFORD, M. K. and WILKIE, A. C. Investigations into the role of specific micro-organisms in the aerobic deterioration of maize silage, 97
WOOLLEY, J. N. and EVANS, A. M. Use of two mating systems in breeding for resistance to *Maruca testulalis* Gey. in cow pea *Vigna unguiculata* (L.) Walp., 323
WURR, D. C. E. and FELLOWS, J. R. Growth of three crisp lettuce varieties from different sowing dates, 733

YADAV, R. L., MOHAN, R., SINGH, R. and VERMA, R. K. Effect of application of nitrogen fertilizer on the growth of opium poppy in north central India, 361

Index of Subjects

Abscisic acid accumulation on the yield and water use of spring wheat, some effects of genetic variation in drought-induced (Innes *et al.*), 341

Aerobic exposure, changes in amino acid compounds of wheat plants during ensiling and (Ashbell *et al.*), 667

Aestivum wheat: visual determination, physiological maturity in (Singh *et al.*), 285

Alanine, effect of postnatal development and weaning upon the capacity of pig intestinal villi to transport (Smith), 625

Amino acid compounds of wheat plants during ensiling and aerobic exposure, changes in (Ashbell *et al.*), 667

Ammonia evolution from barley seedlings infected with the powdery mildew fungus (Jenkyn and Finney), 679

Analysis of data from germination tests (Hunter *et al.*), 207

data with repeated measurements on each experimental unit, missing value technique for the (Walters and Rowell), 595

Antibiotic in the diet on reproductive performance of indigenous pigs in Nigeria, effect of different proportions of protein and (Ilori), 227

Aphid *Sitobion avenae* in field trials, assessment of populations of the (Lowe), 487

Arachis hypogaea L., *see* Groundnut

Avena sativa, *see* Oats

Azospirillum brasilense in calcareous soil, interaction between finger millet genotypes and drug-resistant mutants of (Rai *et al.*), 521

Bacteria, measurement of, using nucleic acids, in the duodenal digesta of sheep fed chaffed lucerne hay diets (John and Ulyatt), 33

rumen, *see* Rumen

Bags with different pore sizes, studies on pH, number of protozoa and microbial ATP concentrations in rumen-incubated nylon (Lindberg *et al.*), 501

Barley, evaluating methods of nitrogen application for efficiency of water use and yield of rainfed (Mahey and Cheema), 81

in a low rainfall environment, effect of variety and harvesting stage on forage production of (Droushiotis), 289

seedlings infected with the powdery mildew fungus, ammonia evolution from (Jenkyn and Finney), 679

spring and winter, plant development and grain yield in (Ellis and Russell), 85

spring, effect of tillage under controlled conditions on emergence and yield of (Brown and North), 181

spring, on a clay loam in northern England, direct drilling and shallow cultivation compared with ploughing for (Clutterbuck and Hodgson), 127

spring, timing of nitrogen application for (Easson), 673

Beef carcass composition from organs and tissues of the non-carcass parts, prediction of (Johnson and Vidyadaran), 511

Boronated saline irrigation water on linseed, effect of (Chauhan *et al.*), 237

Brassica napus, *see* Rape, oil-seed

Brassica oleracea, *see* Kale

Breeding of improved open-pollinated populations of spring-sown onions (Dowker *et al.*), 615

Buffalo(es), estimation of energy expenditure from heart rate measurements in working (Richards and Lawrence), 711

histochemical localization of enzymes of various metabolic pathways in the testes of (Bilaspuri and Guraya), 269

^{14}C assimilate fixation and movement in oil-seed rape, field studies on (Chapman *et al.*), 23

Calcium, changes in phosphorus metabolism of sheep in response to the increased demands for P associated with an intravenous infusion of (Braithwaite), 135

metabolism in dairy sheep (Economides), 601

Canopy development in winter wheat, model of (Porter), 383

Capsicum annuum L., relationship of number and position of seeds to fruit size and curvature in (McArdle), 509

Carbohydrate composition with fresh and ensiled crops, development of plant components in isogenic sterile and fertile forage maize and their effects on (Phipps *et al.*), 443

Carbon dioxide enrichment and water stress interaction on growth of two tomato cultivars (Paez *et al.*), 687

Carcass composition from organs and tissues of the non-carcass parts, prediction of beef (Johnson and Vidyadaran), 511

Carrot crop, relative importance of some sources of root-weight variation in a (Benjamin), 69

Cattle, assessment of accumulation of Cd, Cr, Cu, Ni and Zn in the tissues of British Friesian steers fed on the products of land which has received heavy applications of sewage sludge (Rundle *et al.*), 1

beef, effect of pasture growth on live-weight gain of grazing (Ebersohn and Moir), 265

breeds, incidence and effect of poisoning with *Lantana camara* in different (Frisch *et al.*), 191

coat colour in (Finch *et al.*), 141

cows, effect of level of concentrate supplementation given with grass silage during the winter on the total lactation performance of autumn-calving dairy (Gordon), 163

effect of weight change on the performance of autumn-calving suckler cows (Chestnutt), 353

see also Beef

Cauliflower, factors causing small curds in (Crisp), 405

Cereal grain and conserved and fresh herbage from

farms in England and Wales, selenium concentration of (Heys and Hill), 367
Clay soil, mole drainage with simplified cultivation for autumn-sown crops on a (Cannell *et al.*), 539 (Harris *et al.*), 561, (Ellis *et al.*), 583
Clover, variation in the low temperature growth and frost tolerance of natural genotypes of *Trifolium repens* L. from Britain and Norway (Ollerenshaw and Haycock), 11
white, dry-matter distribution and seasonal yield changes in five contrasting genotypes of (Haycock), 333
white, growth in soil cores, effect of inoculant endomycorrhizal fungi on (Hall), 719
white, with different strains of *Rhizobium trifolii* on a mineral hill soil, inoculation of (Mytton and Hughes), 455
Coat colour in cattle: effect on thermal balance, behaviour and growth, and relationship with coat type (Finch *et al.*), 141
Concentrate supplementation given with grass silage during the winter on the total lactation performance of autumn-calving dairy cows, effect of level of (Gordon), 163
Copper in Sub-Himalayan soils, evaluation of some chemical extractants for predicting response of wheat grown in pots to (Sakal *et al.*), 659
Cotton leafworm, influence of foliar fertilizers on the toxicity and tolerance to some insecticides in the (El Attal *et al.*), 111
leafworm to certain insecticides, role of foliar fertilizers in tolerance of the (Moustafa *et al.*), 115
Cow pea, use of two mating systems in breeding for resistance to *Maruca testulalis* Gey. in (Woolley and Evans), 323
Cows, *see* Cattle
Crop varieties in the U.K., yield variability of (Talbot), 315
Cucumber mosaic virus, resistance in vegetable marrow and other *Cucurbita* spp. to two British strains of (Walkey and Pink), 197
Cucurbita spp., resistance in, to two British strains of cucumber mosaic virus (Walkey and Pink), 197
Curds in cauliflower crops, factors causing small (Crisp), 405

D-amino acid composition of the residual silage dry matter, effect of *in sacco* rumen incubation of a grass silage upon the total and (Rooke *et al.*), 695
Dates, sowing, growth of three crisp lettuce varieties from different (Wurr and Fellows), 733
Deer, red, on hill and improved species pastures, lactation performance of (Loudon *et al.*), 149
Defoliation on understory plants, study of the effects of oak (Haile), 247
Diallel experiments, on the analysis of replacement series (Sinclair and Gleeson), 531
Diets, kale, *see* Kale
lucerne hay, *see* Lucerne
Digestibility of ozone-treated sorghum stover by ruminants (Bunting *et al.*), 747
of wheat straw treated with sulphur dioxide (Ben-Ghedalia and Miron), 517
values, *in vivo,* and animal performance with fresh and ensiled crops, development of plant components in isogenic sterile and fertile forage maize and their effects on (Phipps *et al.*), 443
Digestion in sheep fed chaffed lucerne hay, effect of intake and feeding frequency on feeding behaviour and quantitative aspects of (Ulyatt *et al.*), 645
Dioscorea species, dormancy responses to post-harvest application of growth regulators in (Wickham *et al.*), 427, 433
see also Yams
Distinctness between varieties of herbage crops, statistical criteria for (Patterson and Weatherup), 59
Dormancy responses to post-harvest application of growth regulators in *Dioscorea* species (Wickham *et al.*), 427, 433
Drainage, mole, with simplified cultivation for autumn-sown crops on a clay soil (Cannell *et al.*), 539, (Harris *et al.*), 561, (Ellis *et al.*), 583
Drilling, direct, and shallow cultivation compared with ploughing for spring barley on a clay loam in northern England (Clutterbuck and Hodgson), 127
Drought-induced abscisic acid accumulation on the yield and water use of spring wheat, some effects of genetic variation in (Innes *et al.*), 341
Dry-matter distribution and seasonal yield changes in five contrasting genotypes of white clover (Haycock), 333

Eleusine coracana, *see* Millet, finger
Emergence and subsequent plant growth, effects of fluid drilling germinating onion seeds on seedling (Finch-Savage), 461
Energy expenditure from heart rate measurements in working oxen and buffalo, estimation of (Richards and Lawrence), 711
Ensiling and aerobic exposure, changes in amino acid compounds of wheat plants during (Ashbell *et al.*), 667
Enzymes of various metabolic pathways in the testes of buffaloes, goats and rams, histochemical localization of (Bilaspuri and Guraya), 269
Erysiphe graminis, *see* Powdery mildew
Ewes, *see* Sheep
Extractants, chemical, for predicting response of wheat grown in pots to copper in Sub-Himalayan soils, evaluation of some (Sakal *et al*), 659

Feeding frequency and level of feed intake on chemical composition of rumen bacteria, effects of (John), 45
on feeding behaviour and quantitative aspects of digestion in sheep fed chaffed lucerne hay, effect of (Ulyatt *et al.*), 645
Fertilizer(s) application, changes in soil fertility status as influenced by continuous cropping and (Sharma *et al.*), 215
experiment, movement of potassium in an Ustochrept soil profile in a long-term (Ganeshamurthy and Biswas), 393
foliar, in tolerance of the cotton leafworm to certain insecticides, role of (Moustafa *et al.*), 115
foliar, influence of, on the toxicity and tolerance to some insecticides in the cotton leafworm (El Attal *et al.*), 111
nitrogen, *see* Nitrogen

on soya bean, effect of nitrogen and phosphorus (Sekhon *et al.*), 475
Fluid drilling germinating onion seeds on seedling emergence and subsequent plant growth, effects of (Finch-Savage), 461
Frost tolerance of natural genotypes of *Trifolium repens* L. from Britain and Norway, variation in the low temperature growth and (Ollerenshaw and Haycock), 11
Fruit size and curvature in *Capsicum annuum* L., relationship of number and position of seeds to (McArdle), 509
Fungi, endomycorrhizal, field trials assessing the effect of inoculating agricultural soils with (Hall), 725
endomycorrhizal, on white clover growth in soil cores, effect of inoculant (Hall), 719

Genetic variation in drought-induced abscisic acid accumulation on the yield and water use of spring wheat, some effects of (Innes *et al.*), 341
Geranium, intercropping studies in (Prakasa Rao *et al.*), 499
Germination in yams in response to pre-harvest application of plant growth regulators (Wickham *et al.*), 437
tests, analysis of data from (Hunter *et al.*), 207
Glycine max, *see* Soya bean
Goats, histochemical localization of enzymes of various metabolic pathways in the testes of (Bilaspuri and Guraya), 269
Gram, green, response of, to potassium and zinc application (Singh and Badhoria), 253
green, varietal response to rhizobial strains for nodule character, chlorophyll and protein content in (Prasad and Ram), 245
green, *see also Vigna radiata*
Grass–legume associations under grazing in Brazil, persistence of tropical (Thomas and De Andrade), 257
Grassland, availability of nitrogen in liquid sewage sludges applied to (Hutchings), 703
some effects of lime, nitrogen and soluble and insoluble phosphate on the yield and mineral composition of established (Adams), 219
Grazing in Brazil, persistence of tropical grass–legume associations under (Thomas and De Andrade), 257
Groundnut, effect of irrigation on reproductive efficiency of bunch and spreading types of (Bhatia *et al.*), 505
Growth regulators in *Dioscorea* species, dormancy responses to post-harvest application of (Wickham *et al.*), 433
regulators, tuber development, storage and germination in yams in response to pre-harvest application of plant (Wickham *et al.*), 437

Haemagglutinin extracts from raw, sprouting and differently processed limabeans (Ologhobo and Fetuga), 241
Harvesting stage on forage production of barley in a low rainfall environment, effect of (Droushiotis), 289
Heart rate measurements in working oxen and buffalo, estimation of energy expenditure from (Richards and Lawrence), 711
Herbage from farms in England and Wales, selenium concentration of conserved and fresh (Heys and Hill), 367

Inoculating agricultural soils with endomycorrhizal fungi, field trials assessing the effect of (Hall), 725
Inoculation of white clover with different strains of *Rhizobium trifolii* on a mineral hill soil (Mytton and Hughes), 455
Insecticides in the cotton leafworm, toxicity and tolerance to some, influence of foliar fertilizers on the (El Attal *et al.*), 111
role of foliar fertilizers in tolerance of the cotton leafworm to certain (Moustafa *et al.*), 115
Insemination of ewes with frozen semen, intra-uterine (Maxwell *et al.*), 233
Intake and feeding frequency on feeding behaviour and quantitative aspects of digestion in sheep fed chaffed lucerne hay, effect of (Ulyatt *et al.*), 645
Intercropping studies in geranium (Prakasa Rao *et al.*), 499
Irrigation on reproductive efficiency of bunch and spreading types of groundnut, effect of (Bhatia *et al.*), 505
water on linseed, effect of boronated saline (Chauhan *et al.*), 237

Kale containing normal and low concentrations of S-methyl-L-cysteine sulphoxide, relative feeding value of (Barry *et al.*), 635
quantitative digestion by sheep of carbohydrates, nitrogen and S-methyl-L-cysteine sulphoxide in diets of fresh (Barry *et al.*), 479

Lactation performance of autumn-calving dairy cows, effect of level of concentrate supplementation given with grass silage during the winter on the total (Gordon), 163
Lactation performance of red deer on hill and improved species pastures (Loudon *et al.*), 149
Lantana camara, incidence and effect of poisoning with, in different cattle breeds (Frisch *et al.*), 191
Leafworm, cotton, influence of foliar fertilizers on the toxicity and tolerance to some insecticides in the (El Attal *et al.*), 111
cotton, role of foliar fertilizers in tolerance of the, to certain insecticides (Moustafa *et al.*), 115
Legume–grass associations under grazing in Brazil, persistence of tropical (Thomas and De Andrade), 257
Lettuce varieties from different sowing dates, growth of three crisp (Wurr and Fellows), 733
Limabeans, haemagglutinin extracts from raw, sprouting and differently processed (Ologhobo and Fetuga), 241
Lime, nitrogen and soluble and insoluble phosphate on the yield and mineral composition of established grassland, some effects of (Adams), 219
Linseed, effect of boronated saline irrigation water on (Chauhan *et al.*), 237
Lucerne hay diets, measurement of protozoa, using phosphatidyl choline, and of bacteria, using nucleic acids, in the duodenal digesta of sheep fed (John and Ulyatt), 33

hay, effect of intake and feeding frequency on feeding behaviour and quantitative aspects of digestion in sheep fed chaffed (Ulyatt *et al.*), 645

Maize, development of plant components in isogenic sterile and fertile forage, and their effects on carbohydrate composition, nutritive value, *in vivo* digestibility values and animal performance with fresh and ensiled crops (Phipps *et al.*), 443
silage, investigations into the role of specific micro-organisms in the aerobic deterioration of (Woolford and Wilkie), 97
Management actions on the performance of a grassland sheep flock, effects of timing of (Speedy *et al.*), 275
Marrow, vegetable, and other *Cucurbita* spp., resistance to two British strains of cucumber mosaic virus (Walkey and Pink), 197
Maruca testulalis Gey. in cow pea, use of two mating systems in breeding for resistance to (Woolley and Evans), 323
Maturity in *Aestivum* wheat: visual determination (Singh *et al.*), 285
of forage oats on crude protein content and dry-matter yield, effect of stage of (Haile), 251
Medicago sativa, *see* Lucerne
Micro-organisms in the aerobic deterioration of maize silage, investigations into the role of specific (Woolford and Wilkie), 97
Millet, finger, genotypes and drug-resistant mutants of *Azospirillum brasilense* in calcareous soil, interaction between (Rai *et al.*), 521
Missing value technique for the analysis of data with repeated measurements on each experimental unit (Walters and Rowell), 595
Model of canopy development in winter wheat (Porter), 383
without water or nutrient limitations, winter wheat crop simulation (Weir *et al.*), 371
Monensin on the pool size and turnover rate of protozoa in the rumen of sheep, effects of (Leng *et al.*), 609
Mulch and nitrogen and phosphorus fertilizers on soya bean, effect of (Sekhon *et al.*), 475

Nitrogen and phosphorus fertilizers on soya bean, effect of (Sekhon *et al.*), 475
application for efficiency of water use and yield of rainfed barley, evaluating methods of (Mahey and Cheema), 81
application for spring barley, timing of (Easson), 673
fertilizer, inorganic, yield response of sorghum cultivars to (Pal *et al.*), 7
fertilizer on the growth of opium poppy in north central India, effect of application of (Yadav *et al.*), 361
fixation of *Rhizobium* of *Vigna radiata* under stress conditions, studies on growth and symbiotic (Rai and Prasad), 399
in liquid sewage sludges applied to grassland, availability of (Hutchings), 703
on the yield and mineral composition of established grassland, some effects of (Adams), 219

Oak defoliation on understory plants, study of the effects of (Haile), 247
Oats, effect of stage of maturity of forage, on crude protein content and dry-matter yield (Haile), 251
grown at contrasting sites in Scotland, effect of natural selection on composite cross populations of (Phillips and Powell), 469
Onion(s), breeding of improved open-pollinated populations of spring-sown (Dowker *et al.*), 615
seeds on seedling emergence and subsequent plant growth, effects of fluid drilling germinating (Finch-Savage), 461
Oxen and buffalo, estimation of energy expenditure from heart rate measurements in working (Richards and Lawrence), 711
Ozone-treated sorghum stover by ruminants, digestibility of (Bunting *et al.*), 747

Pasture growth on live-weight gain of grazing beef cattle, effect of (Ebersohn and Moir), 265
Pelargonium graveolens, *see* Geranium
Pepper, *see Capsicum annuum*
Persistence of tropical grass–legume associations under grazing in Brazil (Thomas and De Andrade), 257
Phosphate distribution in animal waste slurries (Gerritse and Vriesema), 159
on the yield and mineral composition of established grassland, some effects of soluble and insoluble (Adams), 219
Phosphorus economy in potato cultivation by soaking mother seed tubers in a solution of urea and phosphate (Sharma *et al.*), 307
homoeostasis and requirements of sheep, some observations on (Braithwaite), 295
metabolism of sheep in response to the increased demands for P associated with an intravenous infusion of calcium, changes in (Braithwaite), 135
Pig(s) in Nigeria, effect of different proportions of protein and antibiotic in the diet on reproductive performance of indigenous (Ilori), 227
intestinal villi to transport alanine, effect of post-natal development and weaning upon the capacity of (Smith), 625
Ploughing for spring barley on a clay loam in northern England, direct drilling and shallow cultivation compared with (Clutterbuck and Hodgson), 127
Poisoning with *Lantana camara* in different cattle breeds, incidence and effect of (Frisch *et al.*), 191
Poppy in north central India, effect of application of nitrogen fertilizer on the growth of opium (Yadav *et al.*), 361
Potassium and zinc application, responses of green gram to (Singh and Badhoria), 253
in an Ustochrept soil profile in a long-term fertilizer experiment, movement of (Ganeshamurthy and Biswas), 393
Potato cultivation by soaking mother seed tubers in a solution of urea and phosphate, phosphorus economy in (Sharma *et al.*), 307
Powdery mildew fungus, the significance of ammonia evolution from barley seedlings infected with the (Jenkyn and Finney), 679
Protein and antibiotic in the diet on reproductive performance of indigenous pigs in Nigeria, effect of different proportions of (Ilori), 227

content and dry-matter yield, effect of stage of maturity of forage oats on crude (Haile), 251
Protozoa and microbial ATP concentrations in rumen-incubated nylon bags with different pore sizes, studies on number of (Lindberg *et al.*), 501
in the rumen of sheep, effects of monensin on the pool size and turnover rate of (Leng *et al.*), 609
measurement of, using phosphatidyl choline, in the duodenal digesta of sheep fed chaffed lucerne hay diets (John and Ulyatt), 33

Rams, *see* Sheep
Rape, oil-seed, field studies on ^{14}C assimilate fixation and movement in (Chapman *et al.*), 23
Repeated measurements on each experimental unit, missing value technique for the analysis of data with (Walters and Rowell), 595
Replacement series diallel experiments, on the analysis of (Sinclair and Gleeson), 531
Reproductive performance of indigenous pigs in Nigeria, effect of different proportions of protein and antibiotic in the diet on (Ilori), 227
Resistance in vegetable marrow and other *Cucurbita* spp. to two British strains of cucumber mosaic virus (Walkey and Pink), 197
Rhizobial strains, varietal response to, for nodule character, chlorophyll and protein content in green gram (Prasad and Ram), 245
Rhizobium inoculation on soya bean, effect of (Sekhon *et al.*), 475
of *Vigna radiata* under stress conditions, studies on growth and symbiotic nitrogen fixation of (Rai and Prasad), 399
trifolii on a mineral hill soil, inoculation of white clover with different strains of (Mytton and Hughes), 455
Root growth, simple technique to evaluate the effect of mechanical stress on (Chaudhary and Aggarwal), 79
weight variation in a carrot crop, relative importance of some sources of (Benjamin), 69
Rumen bacteria, effects of feeding frequency and level of feed intake on chemical composition of (John), 45
-incubated nylon bags with different pore sizes, studies on pH, number of protozoa and microbial ATP concentrations in (Lindberg *et al.*), 501
incubation of a grass silage upon the total and D-amino acid composition of the residual silage dry matter, effect of *in sacco* (Rooke *et al.*), 695
of sheep, effects of monensin on the pool size and turnover rate of protozoa in the (Leng *et al.*), 609
Ruminants, digestibility of ozone-treated sorghum stover by (Bunting *et al.*), 747

S-methyl-L-cysteine sulphoxide in diets of fresh kale, quantitative digestion by sheep of carbohydrates, nitrogen and (Barry *et al.*), 479
relative feeding value of kale containing normal and low concentrations of (Barry *et al.*), 635
Seeds to fruit size and curvature in *Capsicum annuum* L., relationship of number and position of (McArdle), 509
Selection on composite cross populations of oats grown at contrasting sites in Scotland, effect of natural (Phillips and Powell), 469
systems, study of sequential variety (Robinson), 119
Selenium concentration of cereal grain and conserved and fresh herbage from farms in England and Wales (Heys and Hill), 367
Semen, intra-uterine insemination of ewes with frozen (Maxwell *et al.*), 233
Sequential variety selection systems (Robinson), 119
Sewage sludge(s), assessment of accumulation of Cd, Cr, Cu, Ni and Zn in the tissues of British Friesian steers fed on the products of land which has received heavy applications of (Rundle *et al.*), 1
applied to grassland, availability of nitrogen in liquid (Hutchings), 703
Sheep, calcium metabolism in dairy (Economides), 601
effects of monensin on the pool size and turnover rate of protozoa in the rumen of (Leng *et al*), 609
fed chaffed lucerne hay diets, measurement of protozoa, using phosphatidyl choline, and of bacteria, using nucleic acids, in the duodenal digesta of (John and Ulyatt), 33
fed chaffed lucerne hay, effect of intake and feeding frequency on feeding behaviour and quantitative aspects of digestion in (Ulyatt *et al.*), 645
flock, effects of timing of management actions on the performance of a grassland (Speedy *et al.*), 275
growth patterns in (Butler-Hogg), 105
histochemical localization of enzymes of various metabolic pathways in the testes of rams (Bilaspuri and Guraya), 269
in response to the increased demands for P associated with an intravenous infusion of calcium, changes in phosphorus metabolism of (Braithwaite), 135
intra-uterine insemination of ewes with frozen semen (Maxwell *et al.*), 233
quantitative digestion by, of carbohydrates, nitrogen and S-methyl-L-cysteine sulphoxide in diets of fresh kale (Barry *et al.*), 479
some observations on phosphorus homoeostasis and requirements of (Braithwaite), 295
Silage, effect of *in sacco* rumen incubation of a grass, upon the total and D-amino acid composition of the residual silage dry matter (Rooke *et al.*), 695
maize, investigations into the role of specific micro-organisms in the aerobic deterioration of (Woolford and Wilkie), 97
Sitobion avenae, *see* Aphid
Slurries, phosphate distribution in animal waste (Gerritse and Vriesema), 159
Soaking mother seed tubers in a solution of urea and phosphate, phosphorus economy in potato cultivation by (Sharma *et al.*), 307
Soil fertility status as influenced by continuous cropping and fertilizer application, changes in (Sharma *et al.*), 215
profile in a long-term fertilizer experiment, movement of potassium in an Ustochrept (Ganeshamurthy and Biswas), 393
Sorghum cultivars to inorganic nitrogen fertilizer, yield response of (Pal *et al.*), 7
stover by ruminants, digestibility of ozone-treated (Bunting *et al.*), 747

Soya bean, effect of *Rhizobium* inoculation, mulch and nitrogen and phosphorus fertilizers on (Sekhon *et al.*), 475
Steers, *see* Cattle
Storage and germination in yams in response to pre-harvest application of plant growth regulators (Wickham *et al.*), 437
Stress on root growth, simple technique to evaluate the effect of mechanical (Chaudhary and Aggarwal), 79
Sulphur dioxide, digestibility of wheat straw treated with (Ben-Ghedalia and Miron), 517

Testes of buffaloes, goats and rams, histochemical localization of enzymes of various metabolic pathways in the (Bilaspuri and Guraya), 269
Tillage under controlled conditions: its effect on emergence and yield of spring barley (Brown and North), 181
Timing of management actions on the performance of a grassland sheep flock, effects of (Speedy *et al.*), 275
of nitrogen application for spring barley (Easson), 673
Tomato cultivars, carbon dioxide enrichment and water stress interaction on growth of two (Paez *et al.*), 687
Trifolium repens, *see* Clover
Tuber development, storage and germination in yams in response to pre-harvest application of plant growth regulators (Wickham *et al.*), 437

Understory plants, study of the effects of oak defoliation on (Haile), 247

Variability of crop varieties in the U.K., yield (Talbot), 315
Variety and harvesting stage on forage production of barley in a low rainfall environment, effect of (Droushiotis), 289
Vigna radiata under stress conditions, studies on growth and symbiotic nitrogen fixation of *Rhizobium* of (Rai and Prasad), 399
see also Gram, green
Vigna unguiculata, *see* Cow pea
Villi to transport alanine, effect of postnatal development and weaning upon the capacity of pig intestinal (Smith), 625

Water relations of winter wheat (McGowan *et al.*), 415
stress interaction on growth of two tomato cultivars, carbon dioxide enrichment and (Paez *et al.*), 687
use and yield of rainfed barley, evaluating methods of nitrogen application for efficiency of (Mahey and Cheema), 81
Weight change on the performance of autumn-calving suckler cows, effect of (Chestnutt), 353
Wheat grown in pots to copper in Sub-Himalayan soils, evaluation of some chemical extractants for predicting response of (Sakal *et al.*), 659
plants during ensiling and aerobic exposure, changes in amino acid compounds of (Ashbell *et al.*), 667
spring, some effects of genetic variation in drought-induced abscisic acid accumulation on the yield and water use of (Innes *et al.*), 341
straw treated with sulphur dioxide, digestibility of (Ben-Ghedalia and Miron), 517
visual determination of physiological maturity in *Aestivum* (Singh *et al.*), 285
winter, crop simulation model without water or nutrient limitations (Weir *et al.*), 371
winter, model of canopy development in (Porter), 383
winter, water relations of (McGowan *et al.*), 415
Wool growth during weight loss and subsequent compensatory growth in sheep (Butler-Hogg), 105

Yams in response to pre-harvest application of plant growth regulators, tuber development, storage and germination in (Wickham *et al.*), 437
see also Dioscorea
Yield changes in five contrasting genotypes of white clover, dry-matter distribution and seasonal (Haycock), 333
effect of stage of maturity of forage oats on crude protein content and dry-matter (Haile), 251
variability of crop varieties in the U.K. (Talbot), 315

Zinc application, response of green gram to (Singh and Badhoria), 253